ELSEVIER

Journal of Organometallic Chemistry 649 (2002) 295–296

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 649

Abdelhalim Ahmed, I., 147
Albano, V.G., 64
Aldridge, S., 9
Alfredo Toscano, R., 86
Al-Juaid, S.S., 121
Alvarez Toledano, C., 86
Ardizzoia, G.A., 173

Báča, J., 181
Baghurst, R.E., 9
Bajpai, S., 70, 70
Becker, E., 55
Behrens, U., 50
Belzner, J., 25
Benjamin Coapes, R., 199
Bertagnolli, H., 128
Bielert, F., 141
Bolte, M., 246
Brady, J.C., 252
Bregadze, V.I., 1
Brenna, S., 173
Bubnov, Y.N., 232
Burke, J.M., 199
Busetto, L., 64
Butcher, R.J., 70

Calder, R.J., 9
Cho, C.S., 258
Choukroun, R., 15
Clancy, G., 100
Císařová, I., 181

Dahan, F., 113
Dehnert, U., 25
Delgado, E., 21
Denk, K., 219
Donnadieu, B., 15, 21
Douziech, B., 15

Eaborn, C., 121
El-Hamruni, S.M., 121
Evans, W.J., 252

Friedrichsen, W., 161
Fujimoto, C.H., 252
Fujita, K.-i., 289
Fukin, G.K., 100
Furukawa, S., 289
Fusek, J., 181

García, S., 21
Giarikos, D.G., 252
Gladfelter, W.L., 268
Goeta, A.E., 199
Gonçalves, I.S., 108
Green, J.C., 100
Groarke, M., 108
Grüner, B., 181
Gstöttmayr, C.W.K., 141
Guerrero, G., 113
Gustafsson, B., 204
Guzei, I., 276

Håkansson, M., 204
Härter, P., 141
Herrmann, W.A., 108, 141, 219
Hesford, M., 214
Hitchcock, P.B., 121
Hörner, W., 128
Howard, J.A.K., 199
Hursthouse, M.B., 9

Jagner, S., 204
Jeong, J.H., 258
Jia, W.-L., 152

Kadkin, O., 161
Kähler, T., 50
Kastner, G., 147
Ketkov, S.Y., 100
Kim, T.-J., 258
Kirchner, K., 55
Klimova, E.I., 86
Klimova, T., 86
Kralik, J., 191
Krannich, L.K., 78
Kudinov, A.R., 136
Kühn, F.E., 108

Lake, C.H., 78
LaMonica, G., 173
Lang, H., 191
Lath, R., 70
Lee, H.-Y., 258
Lerner, H.-W., 246
Levason, W., 214
Light, M.E., 9
Loginov, D.A., 136
Long, N.J., 94
Lorber, C., 15
Luo, B., 268

Marchetti, F., 64
Marder, T.B., 199
Martínez García, M., 86
Masciocchi, N., 173
Maspero, A., 173
Meichel, E., 191
Mereiter, K., 55
Milius, W., 232
Monari, M., 64
Mukkanti, A., 209
Müller, P., 25
Mutin, P.H., 113

Näther, C., 161
Neander, S., 50
Nöth, H., 43

Olbrich, F., 50
Orchard, S.D., 214

Park, D.-K., 258
Pedall, A., 225, 232
Periasamy, M., 209
Petrovskii, P.V., 136
Plešek, J., 181
Powell, D.H., 78

Ram, C., 70
Rameshkumar, C., 209
Reid, G., 214
Reuter, H., 147
Rheinwald, G., 191
Robins, E.G., 199
Rohde, B., 25
Rosales-Hoz, M.J., 43
Rüba, E., 55
Ruíz Ramírez, L., 86
Ryu, E.-S., 258

Sánchez-Cabrera, G., 43
Schär, D., 25
Schmid, R., 55
Schultze, D., 147
Seeboth, N., 141
Shim, S.C., 258
Sirsch, P., 141, 219
Sivaev, I.B., 1
Sjöberg, S., 1
Slugovc, C., 55
Smith, B.E., 293
Smith, J.D., 121
Sözerli Can, S.E., 121
Srivastava, P.C., 70
Standfest-Hauser, C., 55
Starikova, Z.A., 1, 136
Stein, Th., 191
Styron, E.K., 78

PII: S0022-328X(02)01283-4

Tang, L.-F., 152
Tok, O.L., 232

Usón, I., 25

Veith, M., 70
Verkade, J.G., 276
Vioux, A., 113

Wang, H.-G., 152
Wang, J.-T., 152
Wang, Z.-H., 152
Watkins, C.L., 78
Weidinger, J., 225
Westcott, S.A., 199
Westman, G., 204
White, A.J.P., 94
Wiberg, N., 246
Williams, D.J., 94
Wrackmeyer, B., 225, 232

Yamaguchi, R., 289
Yang, J., 276
Young, V.G., Jr., 268
Younus, M., 94

Zakharov, L.N., 100
Zamora, F., 21
Zanotti, V., 64
Ziller, J.W., 252
Zimmer, M., 70
Zuno-Cruz, F.J., 43

ELSEVIER

Journal of Organometallic Chemistry 649 (2002) 297–302

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 649

Acetonitrile
Acetonitrile activation in di-iron μ-carbyne complexes: synthesis and structure of the cyanomethyl complex [Fe_2(μ-$CNMe_2$)(μ-CO)(CO)(CH_2CN)($Cp)_2$], 64
Acetylacetonate
Synthesis, characterisation and molecular structure of [$Rh(COE)_2$(acac)] (COE = cyclooctene, η^2-C_8H_{14}), an important starting material for the preparation of rhodium catalyst precursors, 199
Acetylene reactions
Synthesis of 1,4-disilacyclohexa-2,5-dienes, 276
Aldehydes
Asymmetric addition of diethylzinc to aromatic aldehydes by chiral ferrocene-based catalysts, 258
Alkene
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
Alkoxide
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
Alkylboration
From bis(silylamino)tin dichlorides via di(1-alkynyl)-bis(silylamino)tin to new heterocycles by 1,1-organoboration, 232
Alkylperoxides
New insights into the reaction of *t*-butylhydroperoxide with dichloro- and dimethyl(dioxo)molybdenum(VI), 108
Alkyne
Synthesis and characterisation of new platinum ethynyl dimers and polymers with pendant ferrocenyl groups, 94
Alkynes
Conversion of alkynes to cyclic imides and anhydrides using reactive iron carbonyls prepared from $Fe(CO)_5$ and $Fe_3(CO)_{12}$, 209
From bis(silylamino)tin dichlorides via di(1-alkynyl)-bis(silylamino)tin to new heterocycles by 1,1-organoboration, 232
Novel titana-2,4-cyclopentadienes by 1,1-alkylboration, 225
Alkynethiolates derivatives
Alkynethiolate ligands in the syntheses of iron carbonyl derivatives. Crystal structure of [(η^5-C_5H_5)$Fe(CO)_2$(SC≡$CSiMe_3$)], 21
Allylboration
From bis(silylamino)tin dichlorides via di(1-alkynyl)-bis(silylamino)tin to new heterocycles by 1,1-organoboration, 232
Allyl complexes
Synthesis, characterization, and reactivity of half-sandwich Ru(II) complexes containing phosphine, arsine, stibine, and bismutine ligands, 55
2-Allyl-6-methylphenol
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
Amides
From bis(silylamino)tin dichlorides via di(1-alkynyl)-bis(silylamino)tin to new heterocycles by 1,1-organoboration, 232
Novel titana-2,4-cyclopentadienes by 1,1-alkylboration, 225
Amidogallium compounds
Si–C bond cleavage in the reaction of gallium chloride with lithium bis(trimethylsilyl)amide and thermolysis of base adducts of dichloro(trimethylsilyl)amido gallium compounds, 268
ansa-Metallocene
Synthesis and crystal structure of highly soluble ansa-titano- and zirconocene dichloride complexes [Me_2Si(η^5-$C_5H_2(SiMe_3)_2]_2MCl_2$ (M = Ti, Zr), 15
Arene coordination
Synthesis, characterization, and reactivity of half-sandwich Ru(II) complexes containing phosphine, arsine, stibine, and bismutine ligands, 55
Arsines
Synthesis, characterization, and reactivity of half-sandwich Ru(II) complexes containing phosphine, arsine, stibine, and bismutine ligands, 55
Asymmetric addition
Asymmetric addition of diethylzinc to aromatic aldehydes by chiral ferrocene-based catalysts, 258
Bent metallocenes
The bent metallocene geometries of potassium polyalkyl cyclopentadienyl THF solvates: monosolvated [(THF)K(μ-C_5Me_5)]$_n$, disolvated [$(THF)_2$K(μ-C_5Me_5)]$_n$ and the tethered olefin complex [(THF)K(μ-$C_5Me_4SiMe_2CH_2CH$=CH_2)]$_n$, 252
Benzylamine
Reactivity of Me_3M (M = Al, Ga, In) with benzylamine to form the dimers, [$Me_2MN(H)CH_2Ph]_2$, and the hexamers, [$MeAlNCH_2Ph]_6$ and [$MeGaNCH_2Ph]_6$: molecular structures of *trans*-[$Me_2MN(H)CH_2Ph]_2$ and [$MeAlNCH_2Ph]_6$, 78
Bisarene complexes
Rydberg spectra of bis(η^6-benzene)chromium derivatives: Gas-phase photoabsorption study of bis(η^6-1,2,4-trimethylbenzene)chromium and bis(η^6-1,2,4,5-tetramethylbenzene)-chromium, 100
Bis(1,2-dicarbollido)-3-cobalt(1-)ate ion
Syntheses of the $B_{(8)}$-hydroxy- and $B_{(8,8')}$-dihydroxy-derivatives of the bis(1,2-dicarbollido)-3-cobalt(1-)ate ion by its reductive acetoxylation and hydroxylation: molecular structure of [8,8′-μ-$CH_3C(O)_2$<(1,2-$C_2B_9H_{10})_2$-3-Co]^0 zwitterion determined by X-ray diffraction analysis, 181
Bismutines
Synthesis, characterization, and reactivity of half-sandwich Ru(II) complexes containing phosphine, arsine, stibine, and bismutine ligands, 55
Bis(pyrazol-1-yl)methane
Synthesis and crystal structures of Group 6 metal carbonyl complexes containing S-rich bis(pyrazol-1-yl)methane ligands, 152
Boratabenzene
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136

PII: S0022-328X(02)01285-8

Boron
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
Synthesis and reactivity of transition metal complexes containing halogenated boryl ligands, 9
Boronic acid
Synthesis, characterisation and molecular structure of $[Rh(COE)_2(acac)]$ (COE = cyclooctene, η^2-C_8H_{14}), an important starting material for the preparation of rhodium catalyst precursors, 199
Boron neutron capture therapy
Synthesis of functional derivatives of the $[3,3'$-$Co(1,2$-$C_2B_9H_{11})_2]^-$ anion, 1
Boryl
Synthesis and reactivity of transition metal complexes containing halogenated boryl ligands, 9
Bridged ferrocenes
Syntheses and structural characterization of some mono- and di-*p*-nitrophenyl[3]ferrocenophanes: X-ray structure of [3]ferrocenophane, 3-*p*-nitrophenyl[3]ferrocenophane, and 3,4′-bis-(*p*-nitrophenyl)[3]ferrocenophane; DFT calculations on ferrocene derivatives, 161
Bulky ligands
Attachment to manganese or cobalt of a bulky tri(organosilyl)methyl ligand containing an NMe_2 or an OMe donor group, 121

Carbaboranes
Syntheses of the $B_{(8)}$-hydroxy- and $B_{(8,8')}$-dihydroxy-derivatives of the bis(1,2-dicarbollido)-3-cobalt(1-)ate ion by its reductive acetoxylation and hydroxylation: molecular structure of $[8,8'$-μ-$CH_3C(O)_2$-$(1,2$-$C_2B_9H_{10})_2$-3-$Co]^0$ zwitterion determined by X-ray diffraction analysis, 181
Carbene complexes
The first metal complexes of bis(diisopropylamino)carbene: synthesis, structure and ligand properties, 219
Carbenoids
EXAFS investigation of metal organic synthesis tools, 128
Carbyne complexes
Acetonitrile activation in di-iron μ-carbyne complexes: synthesis and structure of the cyanomethyl complex $[Fe_2(\mu$-$CNMe_2)(\mu$-$CO)(CO)(CH_2CN)(Cp)_2]$, 64
Catalysis
Alkyne oligomerization catalyzed by molybdenum(0) complexes, 173
Catalyst
Synthesis, characterisation and molecular structure of $[Rh(COE)_2(acac)]$ (COE = cyclooctene, η^2-C_8H_{14}), an important starting material for the preparation of rhodium catalyst precursors, 199
Chiral ferrocenes
Asymmetric addition of diethylzinc to aromatic aldehydes by chiral ferrocene-based catalysts, 258
Chlorogallium compounds
Si–C bond cleavage in the reaction of gallium chloride with lithium bis(trimethylsilyl)amide and thermolysis of base adducts of dichloro(trimethylsilyl)amido gallium compounds, 268
Chromium
Rydberg spectra of bis(η^6-benzene)chromium derivatives: Gas-phase photoabsorption study of bis(η^6-1,2,4-trimethylbenzene)chromium and bis(η^6-1,2,4,5-tetramethylbenzene)chromium, 100
Cobalt
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
Cobalt bis(dicarbollide)
Synthesis of functional derivatives of the $[3,3'$-$Co(1,2$-$C_2B_9H_{11})_2]^-$ anion, 1
Copper
Synthesis and complexation of a new facultative tridentate S_2Te donor ligand $MeS(CH_2)_3Te(CH_2)_3SMe$: crystal structures of $[Rh(Cp^*)(S_2Te)][PF_6]_2$ and $[PtCl(S_2Te)]PF_6$, 214
Copper(I)
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
15-Crown-5
Cyclopentadienyl, indenyl, and fluorenyl complexes of sodium with 15-crown-5, 50
Crystal structure
Alkyne oligomerization catalyzed by molybdenum(0) complexes, 173
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
Crystal structures
Acetonitrile activation in di-iron μ-carbyne complexes: synthesis and structure of the cyanomethyl complex $[Fe_2(\mu$-$CNMe_2)(\mu$-$CO)(CO)(CH_2CN)(Cp)_2]$, 64
Coordination chemistry of tin: Part III. The crystal structure and thermal behavior of dipotassium dimethyl-tetrafluoro-stannate dihydrate, $K_2[(CH_3)_2SnF_4]\cdot 2H_2O$, 147
Synthesis of functional derivatives of the $[3,3'$-$Co(1,2$-$C_2B_9H_{11})_2]^-$ anion, 1
Cyclic imides
Conversion of alkynes to cyclic imides and anhydrides using reactive iron carbonyls prepared from $Fe(CO)_5$ and $Fe_3(CO)_{12}$, 209
Cyclopentadienide
The bent metallocene geometries of potassium polyalkyl cyclopentadienyl THF solvates: monosolvated $[(THF)K(\mu$-$C_5Me_5)]_n$, disolvated $[(THF)_2K(\mu$-$C_5Me_5)]_n$ and the tethered olefin complex $[(THF)K(\mu$-$C_5Me_4SiMe_2CH_2CH{=}CH_2)]_n$, 252
Cyclopentadienyl
Cyclopentadienyl, indenyl, and fluorenyl complexes of sodium with 15-crown-5, 50
Cyclopentadienyl iron complexes
Alkynethiolate ligands in the syntheses of iron carbonyl derivatives. Crystal structure of $[(\eta^5$-$C_5H_5)Fe(CO)_2(SC{\equiv}CSiMe_3)]$, 21
Cyclotrimerization
Alkyne oligomerization catalyzed by molybdenum(0) complexes, 173

DFT calculations
Syntheses and structural characterization of some mono- and di-*p*-nitrophenyl[3]ferrocenophanes: X-ray structure of [3]ferrocenophane, 3-*p*-nitrophenyl[3]ferrocenophane, and 3,4′-bis-(*p*-nitrophenyl)[3]ferrocenophane; DFT calculations on ferrocene derivatives, 161
Dialkyl phosphonated phosphines
X-ray crystal structures of novel platinum(II) and palladium(II) complexes of dialkyl phosphonated phosphines, 113
Dibenzylamine
Reactivity of Me_3M (M = Al, Ga, In) with benzylamine to form the dimers, $[Me_2MN(H)CH_2Ph]_2$, and the hexamers, $[MeAlNCH_2Ph]_6$ and $[MeGaNCH_2Ph]_6$: molecular structures of *trans*-$[Me_2MN(H)CH_2Ph]_2$ and $[MeAlNCH_2Ph]_6$, 78
Diethylzinc
Asymmetric addition of diethylzinc to aromatic aldehydes by chiral ferrocene-based catalysts, 258

Dinuclear
Acetonitrile activation in di-iron μ-carbyne complexes: synthesis and structure of the cyanomethyl complex [Fe_2(μ-$CNMe_2$)(μ-CO)(CO)(CH_2CN)($Cp)_2$], 64
1,4-Disilacyclohexadiene synthesis
Synthesis of 1,4-disilacyclohexa-2,5-dienes, 276
Disilane reactions
Synthesis of 1,4-disilacyclohexa-2,5-dienes, 276
Double carbonylation
Conversion of alkynes to cyclic imides and anhydrides using reactive iron carbonyls prepared from $Fe(CO)_5$ and $Fe_3(CO)_{12}$, 209
DSC
Coordination chemistry of tin: Part III. The crystal structure and thermal behavior of dipotassium dimethyl-tetrafluoro-stannate dihydrate, $K_2[(CH_3)_2SnF_4]\cdot 2H_2O$, 147

Electrochemistry
Synthesis and crystal structure of highly soluble ansa-titano- and zirconocene dichloride complexes [$Me_2Si(\eta^5$-C_5H_2-$(SiMe_3)_2]_2MCl_2$ (M = Ti, Zr), 15
Electronic absorption spectra
Rydberg spectra of bis(η^6-benzene)chromium derivatives: Gas-phase photoabsorption study of bis(η^6-1,2,4-trimethylbenzene)chromium and bis(η^6-1,2,4,5-tetramethylbenzene)chromium, 100
Enynes
The reaction of [$H_4Ru_4(CO)_{12}$] with 1-penten-3-yne: dimerization and trimerization through the triple bonds, 43
Epoxidation
New insights into the reaction of *t*-butylhydroperoxide with dichloro- and dimethyl(dioxo)molybdenum(VI), 108
EXAFS
EXAFS investigation of metal organic synthesis tools, 128

Ferrocene
Synthesis and characterisation of new platinum ethynyl dimers and polymers with pendant ferrocenyl groups, 94
Synthesis of 'three-petal' carbocyclic systems based on *s-cis*-diferrocenyltrienes, 86
[3]Ferrocenophane
Syntheses and structural characterization of some mono- and di-*p*-nitrophenyl[3]ferrocenophanes: X-ray structure of [3]ferrocenophane, 3-*p*-nitrophenyl[3]ferrocenophane, and 3,4′-bis-(*p*-nitrophenyl)[3]ferrocenophane; DFT calculations on ferrocene derivatives, 161
Fluorenyl
Cyclopentadienyl, indenyl, and fluorenyl complexes of sodium with 15-crown-5, 50
Fragmentation
Synthesis of 'three-petal' carbocyclic systems based on *s-cis*-diferrocenyltrienes, 86
Functional derivatives
Synthesis of functional derivatives of the [3,3′-Co(1,2-$C_2B_9H_{11})_2$]$^-$ anion, 1

Gomberg arylation reaction
Syntheses and structural characterization of some mono- and di-*p*-nitrophenyl[3]ferrocenophanes: X-ray structure of [3]ferrocenophane, 3-*p*-nitrophenyl[3]ferrocenophane, and 3,4′-bis-(*p*-nitrophenyl)[3]ferrocenophane; DFT calculations on ferrocene derivatives, 161
Grignard analogues
Attachment to manganese or cobalt of a bulky tri(organosilyl)methyl ligand containing an NMe_2 or an OMe donor group, 121
Grignard compounds
EXAFS investigation of metal organic synthesis tools, 128
Group 6 metal carbonyl complexes
Synthesis and crystal structures of Group 6 metal carbonyl complexes containing S-rich bis(pyrazol-1-yl)methane ligands, 152

Halosilanes
Synthesis of di- and trisilanes with potentially chelating substituents, 25
Homoannular alkylation
Synthesis of 'three-petal' carbocyclic systems based on *s-cis*-diferrocenyltrienes, 86
Hydroboration
Synthesis, characterisation and molecular structure of [$Rh(COE)_2$(acac)] (COE = cyclooctene, η^2-C_8H_{14}), an important starting material for the preparation of rhodium catalyst precursors, 199
Hydrogen bond
Synthesis and reactivity of transition metal complexes containing halogenated boryl ligands, 9
Hydrogen bonding
X-ray crystal structures of novel platinum(II) and palladium(II) complexes of dialkyl phosphonated phosphines, 113
Hydrogen transfer
Oxidation of primary and secondary alcohols catalyzed by a pentamethylcyclopentadienyliridium complex, 289
Hydroxy and dihydroxy derivatives
Syntheses of the $B_{(8)}$-hydroxy- and $B_{(8,8')}$-dihydroxy-derivatives of the bis(1,2-dicarbollido)-3-cobalt(1-)ate ion by its reductive acetoxylation and hydroxylation: molecular structure of [8,8′-μ-$CH_3C(O)_2$<(1,2-$C_2B_9H_{10})_2$-3-Co]^0 zwitterion determined by X-ray diffraction analysis, 181

Indenyl
Cyclopentadienyl, indenyl, and fluorenyl complexes of sodium with 15-crown-5, 50
Infrared spectroscopy
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
Intermolecular C–H···O hydrogen bonds
$C(sp^3)$–H···O and $C(sp^2)$–H···O hydrogen bonds in acyclic- and cyclic-organotellurium carboxylates, 70
Iridium
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
Iridium catalyst
Oxidation of primary and secondary alcohols catalyzed by a pentamethylcyclopentadienyliridium complex, 289
Iridium complexes
The first metal complexes of bis(diisopropylamino)carbene: synthesis, structure and ligand properties, 219
Iron
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
Synthesis and reactivity of transition metal complexes containing halogenated boryl ligands, 9
Iron carbonyl complexes
Conversion of alkynes to cyclic imides and anhydrides using reactive iron carbonyls prepared from $Fe(CO)_5$ and $Fe_3(CO)_{12}$, 209

Manganese
Synthesis and reactivity of transition metal complexes containing halogenated boryl ligands, 9

Metallacarboranes
Syntheses of the $B_{(8)}$-hydroxy- and $B_{(8,8')}$-dihydroxy-derivatives of the bis(1,2-dicarbollido)-3-cobalt(1-)ate ion by its reductive acetoxylation and hydroxylation: molecular structure of $[8,8'\text{-}\mu\text{-}CH_3C(O)_2{<}(1,2\text{-}C_2B_9H_{10})_2\text{-}3\text{-}Co]^0$ zwitterion determined by X-ray diffraction analysis, 181
Methyl substituents
Rydberg spectra of bis(η^6-benzene)chromium derivatives: Gas-phase photoabsorption study of bis(η^6-1,2,4-trimethylbenzene)chromium and bis(η^6-1,2,4,5-tetramethylbenzene)-chromium, 100
Molybdenum
Alkyne oligomerization catalyzed by molybdenum(0) complexes, 173
New insights into the reaction of *t*-butylhydroperoxide with dichloro- and dimethyl(dioxo)molybdenum(VI), 108
MS
Coordination chemistry of tin: Part III. The crystal structure and thermal behavior of dipotassium dimethyl-tetrafluoro-stannate dihydrate, $K_2[(CH_3)_2SnF_4]\cdot 2H_2O$, 147

N-Heterocyclic carbenes
The first metal complexes of bis(diisopropylamino)carbene: synthesis, structure and ligand properties, 219
N-heterocyclic silylenes
Complexation of *N*-heterocyclic silylenes to Pd(0): formation of highly labile homoleptic complexes $Pd[Si(^tBuNCH_2\text{-}CH_2N^tBu)]_4$ and $Pd[Si(^tBuNCHCHN^tBu)]_3$, 141
NMR
Coordination chemistry of tin: Part III. The crystal structure and thermal behavior of dipotassium dimethyl-tetrafluoro-stannate dihydrate, $K_2[(CH_3)_2SnF_4]\cdot 2H_2O$, 147
From bis(silylamino)tin dichlorides via di(1-alkynyl)-bis(silylamino)tin to new heterocycles by 1,1-organoboration, 232
NMR spectroscopy
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
Nuclear medicine
Synthesis of functional derivatives of the $[3,3'\text{-}Co(1,2\text{-}C_2B_9H_{11})_2]^-$ anion, 1

Olefin
Synthesis, characterisation and molecular structure of $[Rh(COE)_2(acac)]$ (COE = cyclooctene, $\eta^2\text{-}C_8H_{14}$), an important starting material for the preparation of rhodium catalyst precursors, 199
Oligomerization
The reaction of $[H_4Ru_4(CO)_{12}]$ with 1-penten-3-yne: dimerization and trimerization through the triple bonds, 43
Oligosilanes
Synthesis of di- and trisilanes with potentially chelating substituents, 25
1,1-Organoboration
Novel titana-2,4-cyclopentadienes by 1,1-alkylboration, 225
Organocobalt
Attachment to manganese or cobalt of a bulky tri(organosilyl)methyl ligand containing an NMe_2 or an OMe donor group, 121
Organomanganese
Attachment to manganese or cobalt of a bulky tri(organosilyl)methyl ligand containing an NMe_2 or an OMe donor group, 121
Organotellurium carboxylates
$C(sp^3)$–H···O and $C(sp^2)$–H···O hydrogen bonds in acyclic- and cyclic-organotellurium carboxylates, 70
Oxidation
Oxidation of primary and secondary alcohols catalyzed by a pentamethylcyclopentadienyliridium complex, 289

Palladium(II) complexes
X-ray crystal structures of novel platinum(II) and palladium(II) complexes of dialkyl phosphonated phosphines, 113
Pd complexes
Complexation of *N*-heterocyclic silylenes to Pd(0): formation of highly labile homoleptic complexes $Pd[Si(^tBuNCH_2\text{-}CH_2N^tBu)]_4$ and $Pd[Si(^tBuNCHCHN^tBu)]_3$, 141
Pentamethylcyclopentadienyl complex
Oxidation of primary and secondary alcohols catalyzed by a pentamethylcyclopentadienyliridium complex, 289
Phenoxide
A tetrameric copper(I) alkoxide with a π-tethered ligand: 2-allyl-6-methylphenoxocopper(I), 204
Platinum
Synthesis and characterisation of new platinum ethynyl dimers and polymers with pendant ferrocenyl groups, 94
Synthesis and complexation of a new facultative tridentate S_2Te donor ligand $MeS(CH_2)_3Te(CH_2)_3SMe$: crystal structures of $[Rh(Cp^*)(S_2Te)][PF_6]_2$ and $[PtCl(S_2Te)]PF_6$, 214
Platinum(II) complexes
X-ray crystal structures of novel platinum(II) and palladium(II) complexes of dialkyl phosphonated phosphines, 113
Polymer
Synthesis and characterisation of new platinum ethynyl dimers and polymers with pendant ferrocenyl groups, 94
Potassium
The bent metallocene geometries of potassium polyalkyl cyclopentadienyl THF solvates: monosolvated $[(THF)K(\mu\text{-}C_5Me_5)]_n$, disolvated $[(THF)_2K(\mu\text{-}C_5Me_5)]_n$ and the tethered olefin complex $[(THF)K(\mu\text{-}C_5Me_4SiMe_2CH_2\text{-}CH{=}CH_2)]_n$, 252
Powder diffraction
Alkyne oligomerization catalyzed by molybdenum(0) complexes, 173

Reductive acetoxylation
Syntheses of the $B_{(8)}$-hydroxy- and $B_{(8,8')}$-dihydroxy-derivatives of the bis(1,2-dicarbollido)-3-cobalt(1-)ate ion by its reductive acetoxylation and hydroxylation: molecular structure of $[8,8'\text{-}\mu\text{-}CH_3C(O)_2{<}(1,2\text{-}C_2B_9H_{10})_2\text{-}3\text{-}Co]^0$ zwitterion determined by X-ray diffraction analysis, 181
Reformatsky compounds
EXAFS investigation of metal organic synthesis tools, 128
Rhodium
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
Synthesis and complexation of a new facultative tridentate S_2Te donor ligand $MeS(CH_2)_3Te(CH_2)_3SMe$: crystal structures of $[Rh(Cp^*)(S_2Te)][PF_6]_2$ and $[PtCl(S_2Te)]PF_6$, 214
Synthesis, characterisation and molecular structure of $[Rh(COE)_2(acac)]$ (COE = cyclooctene, $\eta^2\text{-}C_8H_{14}$), an important starting material for the preparation of rhodium catalyst precursors, 199
Rhodium complexes
The first metal complexes of bis(diisopropylamino)carbene: synthesis, structure and ligand properties, 219
Ruthenium
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
Synthesis, characterization, and reactivity of half-sandwich Ru(II) complexes containing phosphine, arsine, stibine, and bismutine ligands, 55

Rydberg spectroscopy
Rydberg spectra of bis(η^6-benzene)chromium derivatives: Gas-phase photoabsorption study of bis(η^6-1,2,4-trimethylbenzene)chromium and bis(η^6-1,2,4,5-tetramethylbenzene)-chromium, 100

Sandwich compounds
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
s-cis-Diferrocenyltrienes
Synthesis of 'three-petal' carbocyclic systems based on *s-cis*-diferrocenyltrienes, 86
Si–C bond cleavage
Si–C bond cleavage in the reaction of gallium chloride with lithium bis(trimethylsilyl)amide and thermolysis of base adducts of dichloro(trimethylsilyl)amido gallium compounds, 268
Silicon–silicon bond formation
Synthesis of di- and trisilanes with potentially chelating substituents, 25
μ-Silylene complexes
Complexation of *N*-heterocyclic silylenes to Pd(0): formation of highly labile homoleptic complexes Pd[Si(^{t}BuNCH$_2$-CH$_2$N^{t}Bu)]$_4$ and Pd[Si(^{t}BuNCHCHN^{t}Bu)]$_3$, 141
Silylenes
Synthesis of di- and trisilanes with potentially chelating substituents, 25
Sodium
Cyclopentadienyl, indenyl, and fluorenyl complexes of sodium with 15-crown-5, 50
Spirocyclodimers
Synthesis of 'three-petal' carbocyclic systems based on *s-cis*-diferrocenyltrienes, 86
Stibines
Synthesis, characterization, and reactivity of half-sandwich Ru(II) complexes containing phosphine, arsine, stibine, and bismutine ligands, 55
Structure determination
Synthesis and crystal structure of highly soluble ansa-titano- and zirconocene dichloride complexes [Me$_2$Si(η^5-C$_5$H$_2$(SiMe$_3$)$_2$]$_2$MCl$_2$ (M = Ti, Zr), 15
Substitution
Synthesis and reactivity of transition metal complexes containing halogenated boryl ligands, 9
Supramolecular assemblies
C(sp^3)–H···O and C(sp^2)–H···O hydrogen bonds in acyclic- and cyclic-organotellurium carboxylates, 70

Telluroether
Synthesis and complexation of a new facultative tridentate S$_2$Te donor ligand MeS(CH$_2$)$_3$Te(CH$_2$)$_3$SMe: crystal structures of [Rh(Cp*)(S$_2$Te)][PF$_6$]$_2$ and [PtCl(S$_2$Te)]PF$_6$, 214
Tethered olefins
The bent metallocene geometries of potassium polyalkyl cyclopentadienyl THF solvates: monosolvated [(THF)K(μ-C$_5$Me$_5$)]$_n$, disolvated [(THF)$_2$K(μ-C$_5$Me$_5$)]$_n$ and the tethered olefin complex [(THF)K(μ-C$_5$Me$_4$SiMe$_2$CH$_2$CH=CH$_2$)]$_n$, 252
Tetraruthenium clusters
The reaction of [H$_4$Ru$_4$(CO)$_{12}$] with 1-penten-3-yne: dimerization and trimerization through the triple bonds, 43
Thermolysis
Reactivity of Me$_3$M (M = Al, Ga, In) with benzylamine to form the dimers, [Me$_2$MN(H)CH$_2$Ph]$_2$, and the hexamers, [MeAlNCH$_2$Ph]$_6$ and [MeGaNCH$_2$Ph]$_6$: molecular structures of *trans*-[Me$_2$MN(H)CH$_2$Ph]$_2$ and [MeAlNCH$_2$Ph]$_6$, 78
Thiocarbene complexes
Acetonitrile activation in di-iron μ-carbyne complexes: synthesis and structure of the cyanomethyl complex [Fe$_2$(μ-CNMe$_2$)(μ-CO)(CO)(CH$_2$CN)(Cp)$_2$], 64
Thioether
Synthesis and complexation of a new facultative tridentate S$_2$Te donor ligand MeS(CH$_2$)$_3$Te(CH$_2$)$_3$SMe: crystal structures of [Rh(Cp*)(S$_2$Te)][PF$_6$]$_2$ and [PtCl(S$_2$Te)]PF$_6$, 214
Tin
Coordination chemistry of tin: Part III. The crystal structure and thermal behavior of dipotassium dimethyl-tetrafluoro-stannate dihydrate, K$_2$[(CH$_3$)$_2$SnF$_4$]·2H$_2$O, 147
From bis(silylamino)tin dichlorides via di(1-alkynyl)-bis(silylamino)tin to new heterocycles by 1,1-organoboration, 232
Titanacyclopentadienes
Novel titana-2,4-cyclopentadienes by 1,1-alkylboration, 225
Titanium
Novel titana-2,4-cyclopentadienes by 1,1-alkylboration, 225
Synthesis and crystal structure of highly soluble ansa-titano- and zirconocene dichloride complexes [Me$_2$Si(η^5-C$_5$H$_2$(SiMe$_3$)$_2$]$_2$MCl$_2$ (M = Ti, Zr), 15
Trimethylaluminum
Reactivity of Me$_3$M (M = Al, Ga, In) with benzylamine to form the dimers, [Me$_2$MN(H)CH$_2$Ph]$_2$, and the hexamers, [MeAlNCH$_2$Ph]$_6$ and [MeGaNCH$_2$Ph]$_6$: molecular structures of *trans*-[Me$_2$MN(H)CH$_2$Ph]$_2$ and [MeAlNCH$_2$Ph]$_6$, 78
Trimethylgallium
Reactivity of Me$_3$M (M = Al, Ga, In) with benzylamine to form the dimers, [Me$_2$MN(H)CH$_2$Ph]$_2$, and the hexamers, [MeAlNCH$_2$Ph]$_6$ and [MeGaNCH$_2$Ph]$_6$: molecular structures of *trans*-[Me$_2$MN(H)CH$_2$Ph]$_2$ and [MeAlNCH$_2$Ph]$_6$, 78
Trimethylindium
Reactivity of Me$_3$M (M = Al, Ga, In) with benzylamine to form the dimers, [Me$_2$MN(H)CH$_2$Ph]$_2$, and the hexamers, [MeAlNCH$_2$Ph]$_6$ and [MeGaNCH$_2$Ph]$_6$: molecular structures of *trans*-[Me$_2$MN(H)CH$_2$Ph]$_2$ and [MeAlNCH$_2$Ph]$_6$, 78
Triple bonds
The reaction of [H$_4$Ru$_4$(CO)$_{12}$] with 1-penten-3-yne: dimerization and trimerization through the triple bonds, 43
Triple-decker complexes
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136

X-ray
From bis(silylamino)tin dichlorides via di(1-alkynyl)-bis(silylamino)tin to new heterocycles by 1,1-organoboration, 232
X-ray crystallography
Syntheses of the B$_{(8)}$-hydroxy- and B$_{(8,8')}$-dihydroxy-derivatives of the bis(1,2-dicarbollido)-3-cobalt(1-)ate ion by its reductive acetoxylation and hydroxylation: molecular structure of [8,8′-μ-CH$_3$C(O)$_2$<(1,2-C$_2$B$_9$H$_{10}$)$_2$-3-Co]^0 zwitterion determined by X-ray diffraction analysis, 181
X-ray crystal structures
Synthesis and crystal structures of Group 6 metal carbonyl complexes containing S-rich bis(pyrazol-1-yl)methane ligands, 152
X-ray diffraction
Alkynethiolate ligands in the syntheses of iron carbonyl derivatives. Crystal structure of [(η^5-C$_5$H$_5$)Fe(CO)$_2$-(SC≡CSiMe$_3$)], 21
X-ray diffraction analysis
Synthesis of 'three-petal' carbocyclic systems based on *s-cis*-diferrocenyltrienes, 86

X-ray structure
Dicationic triple-decker complexes with a bridging boratabenzene ligand, 136
X-ray structures
Complexation of *N*-heterocyclic silylenes to Pd(0): formation of highly labile homoleptic complexes Pd[Si(ᵗBu-$NCH_2CH_2N^tBu$)]$_4$ and Pd[Si(ᵗBuNCHCHN^{t}Bu)]$_3$, 141
Si–C bond cleavage in the reaction of gallium chloride with lithium bis(trimethylsilyl)amide and thermolysis of base adducts of dichloro(trimethylsilyl)amido gallium compounds, 268
Zirconium
Synthesis and crystal structure of highly soluble ansa-titano- and zirconocene dichloride complexes [$Me_2Si(\eta^5$-$C_5H_2(SiMe_3)_2]_2MCl_2$ (M = Ti, Zr), 15